EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ellen Plotkin on November 10, 2008.

2. In claim 1: line 2, after "acids" add - - including palmitic fatty acid (C16:0); lines 6, 9 and 12, before "wt" add - - by - -; and line 16, after the semicolon, add - - and - -. In claim 2, line 1, change "+" to - - and - - and before "is" add - - taken together - -; and line 2, before "wt" add - - by - -. In each of claims 3, 4, 6 and 7, before "wt" (each occurrence) add - - by - -. Cancel claim 12.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arthur L. Corbin whose telephone number is (571) 272-1399. The examiner can normally be reached on Monday-Friday from 10:30 AM to 8:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton I. Cano, can be reached on (571) 272-1398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Application/Control Number: 10/535,489 Page 3

Art Unit: 1794

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Arthur L Corbin Primary Examiner Art Unit 1794

/Arthur L Corbin/

Primary Examiner, Art Unit 1794